

### LGWA 2

### **SECTION 1: Identification**

#### 1.1. Product identifier used on the label

Trade name: LGWA 2

#### 1.2. Recommended use of the chemical and restrictions on use

Recommended uses: Lubricant.

### 1.3. Details of the supplier of the safety data sheet

**Supplier** 

Company: SKF USA Inc.
Address: 890 Forty Foot Road

Zip code: 19446 City: Lansdale, PA

Country: UNITED STATES OF AMERICA E-mail: Mapro.Repair.USA@skf.com

Phone: +1 888-753-3477 Homepage: www.skf.com

### Manufacturer

Company: SKF MPT

Address: Meidoornkade 14

Zip code: 3992 AE
City: AE Houten
Country: NETHERLANDS
E-mail: support.mpt@skf.com
Phone: +31 30 6307200
Homepage: www.skf.com

### 1.4. Emergency phone number

+31 30 6307200

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 1 703-527-3887 (collect calls accepted)

Location: CHEMTREC 2900 Fairview Park Drive Falls Church VA 22042-4513 USA

### **SECTION 2: Hazard(s) identification**

### 2.1. Classification of the chemical in accordance with paragraph (d) of §1910.1200



#### I GWA 2

HazCom classification: Reproductive toxicity, Category 2;H361f

Most serious harmful effects: Suspected of damaging fertility. May cause slight irritation to the skin and eyes.

#### 2.2. Label elements

### **Pictograms**



Signal word: Warning

**Hazard Statements** 

Suspected of damaging fertility.

**Precautionary statements** 

Wear protective gloves/protective clothing/eye protection/face protection.

### 2.3. Other hazards which do not result in classification

None known.

### **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

Substance	CAS No./ EC No./ REACH Reg. No.	Concentration	Notes
Dilithium azelate	38900-29-7 254-184-4 01-2120119814-57	2.5 - 5 %	
Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene	68411-46-1 270-128-1 01-2119491299-23	< 1 %	

**Ingredient comments:** The mineral oils in the product contain <3% DMSO extract(IP 346).

The specific chemical identity and/or exact percentage of composition has been withheld as a trade secret.

## **SECTION 4: First-aid measures**

### 4.1. Description of first aid measures

**Inhalation:** Seek fresh air.

Ingestion: Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical

advice in case of discomfort.

Skin contact: Remove contaminated clothing. Wash skin with soap and water. Seek medical advice in

case of persistent discomfort.

Eye contact: Flush with water (preferably using eye wash equipment) until irritation subsides. Seek

medical advice if symptoms persist.

**General:** Bring the safety data sheet or label when seeking medical advice.



#### I GWA 2

#### 4.2. Most important symptoms/effects, acute and delayed.

Suspected of damaging fertility.

### 4.3. Indication of immediate medical attention and special treatment needed, if necessary.

No special immediate treatment required. Treat symptoms.

### **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable (and unsuitable) extinguishing media.

Suitable extinguishing media: Extinguish with powder, foam, carbon dioxide or water mist. Use water or water mist to cool

non-ignited stock.

Unsuitable extinguishing

media:

Do not use a jet of water, as it may spread the fire.

#### 5.2. Specific hazards arising from the chemical

Not flammable, but combustible. Can generate harmful flue gases containing carbon monoxide in the event of fire.

### 5.3. Special protective equipment and precautions for fire-fighters.

Move containers from danger area if it can be done without risk. Avoid inhalation of vapor and smoke gases - seek fresh air. Wear Self-Contained Breathing Apparatus (SCBA) with chemical resistant gloves.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Wear gloves. Wear safety goggles if there is a risk of eye splash. Stay upwind/keep

distance from source.

For emergency responders: In addition to the above: Normal protective clothing is recommended.

#### 6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.

### 6.3. Methods and material for containment and cleaning up

Contain and absorb spills using sand or other absorbent material and transfer to suitable waste containers. Wipe up minor spills with a cloth.

#### 6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

The product should be used under well-ventilated conditions and preferably under process ventilation. Running water and eye wash equipment must be available. Wash hands before breaks, before using restroom facilities, and at the end of work. A workplace assessment must be conducted to ensure that employees are not exposed to effects that may involve a risk during pregnancy or when breastfeeding. Do not store, use and/or consume foods, beverages or tobacco products in the work room. Store personal protective equipment separately from other clothing.



### 7.2. Conditions for safe storage, including any incompatibilities

Store safely, out of reach of children and away from food, animal feeding stuffs, drugs, etc. Keep in tightly closed original packaging. Do not expose to heat (e.g. sunlight). Store at temperatures below 113°F. Do not store with the following: Strong oxidizers.

### 7.3. Specific end use(s)

None.

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### Occupational exposure limit

Substance name	Time period	ppm	mg/m³	fiber/cm3	Remarks	Notations
Mineral oil, excluding metal working fluids	ACGIH TWA		5		Pure, highly and severely refined. OEL value for: Mineral oil, excluding metal working fluids	A4, I
Mineral oil, excluding metal working fluids	OSHA		5		OEL value for: Mineral oil, excluding metal working fluids	

A4 = Not Classifiable as a Human Carcinogen

Measuring methods: Compliance with occupational exposure limits may be checked by occupational hygiene

measurements according to NIOSH/OSHA.

ACGIH Threshold Limit Values (TLV's) and Biological Exposure Indices (BEI's), 2023. Legal basis:

OSHA 29 CFR part 1910.1000, table Z1-Z3, Limits for Air Contaminants 2006.

### 8.2. Exposure controls

Appropriate engineering controls:

Wear the personal protective equipment specified below.

eye/face protection:

Personal protective equipment, Wear safety goggles if there is a risk of eye splash.

hand protection:

Personal protective equipment, Wear gloves. Type of material: Nitrile rubber. Breakthrough time has not been determined for the product. Change gloves often. The suitability and durability of a glove is dependant on usage, e.g. frequency and duration of contact, glove material thickness, functionality

and chemical resistance. Always seek advice from the glove supplier.

Personal protective equipment, Not required.

respiratory protection:

In case of risk of formation of spray mist, wear respiratory protective equipment with P2

filter.

**Environmental exposure** 

controls:

Ensure compliance with local regulations for emissions.

I = Inhalable fraktion.



## LGWA 2

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

i	•
Parameter	Value/unit
physical state	Gel. Paste
Color	Yellow Brown
Odour	Characteristic
Solubility	Insoluble in the following: Water.

Parameter	Value/unit	Remarks
Odour threshold	No data	
Melting point	No data	
Freezing point	No data	
Initial boiling point and boiling range	No data	
Flammability (solid, gas)	No data	
Upper/lower flammability limits	No data	
Explosion limits	No data	
Flash Point	> 150 °C	>302 °F
Auto-ignition temperature	No data	
Decomposition temperature	No data	
pH (solution for use)	No data	
pH (concentrate)	No data	
Kinematic viscosity	> 20.5 mm2/s	(104 °F)
Viscosity	No data	
Partition coefficient n-octanol/water	No data	
Vapour pressure	No data	
Density	< 1000 kg/m³	(77 °F)
Relative density	No data	
Vapor density	No data	
Relative density (sat. air)	No data	
Particle characteristics	No data	

### 9.2. Other information

Parameter	Value/unit	Remarks
Explosive properties		Non-explosive
VOC (Volatile organic compounds):	0 %	

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Reacts with the following: Strong oxidizers.

### 10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

### 10.3. Possibility of hazardous reactions



### LGWA 2

None known.

#### 10.4. Conditions to avoid

Do not expose to heat (e.g. sunlight).

#### 10.5. Incompatible materials

Strong oxidizers.

### 10.6. Hazardous decomposition products

None, if stored at the recommended storage conditions.

### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

### Acute toxicity - oral

#### LGWA 2

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
	ATE		3684.20 mg/kg		Calculated	

### Dilithium azelate, cas-no 38900-29-7

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
	LD50		> 300 mg/kg bw			

### Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, cas-no 68411-46-1

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 5000 mg/kg bw			

Ingestion may cause discomfort. The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

### Acute toxicity - dermal

### LGWA 2

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
	ATE		3851.40 mg/kg		Calculated	

### Dilithium azelate, cas-no 38900-29-7

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
	LD50		> 2000 mg/kg bw			

### Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene, cas-no 68411-46-1

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 2000 mg/kg bw			

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

**Acute toxicity - inhalation:** The product does not have to be classified. Test data are not available.

Skin corrosion/irritation: May cause slight irritation. The product does not have to be classified. Test data are not

available.

Serious eye damage/eye

irritation:

Temporary irritation. The product does not have to be classified. Test data are not available.



#### LGWA 2

Respiratory sensitization or

skin sensitization:

The product does not have to be classified. Test data are not available.

**Germ cell mutagenicity:** The product does not have to be classified. Test data are not available.

Carcinogenic properties: The product does not have to be classified. Test data are not available. This product does

not contain any carcinogens or potential carcinogens at reportable quantities as listed by

OSHA, IARC or NTP.

Reproductive toxicity: Suspected of damaging fertility.

**Single STOT exposure:** The product does not have to be classified. Test data are not available.

**Repeated STOT exposure:** The product does not have to be classified. Test data are not available.

**Aspiration hazard:** The product does not have to be classified. Test data are not available.

### 11.2. Information on other hazards

**Endocrine disrupting** 

properties:

None known.

Other toxicological effects: None known.

### **SECTION 12: Ecological information**

#### 12.1. Ecotoxicity

The product does not have to be classified. Test data are not available.

### 12.2. Persistence and degradability

Not expected to be biodegradable. Test data are not available.

#### 12.3. Bioaccumulative potential

No bioaccumulation expected. Test data are not available.

#### 12.4. Mobility in soil

Not expected to be mobile in soil. Test data are not available.

### 12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

#### 12.6. Endocrine disrupting properties

None known.

### 12.7. Other adverse effects

Oil products may cause soil and water pollution.

German water pollution classification (WGK): 1



#### LGWA 2

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Avoid discharge to drain or surface water. If this product as supplied becomes a waste, it does not meet the criteria of a hazardous waste as defined under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261. Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements. Uncleansed packaging is to be disposed of via the local waste-removal scheme. Empty, cleansed packaging should be disposed of for recycling.

### **SECTION 14: Transport information**

14.1. UN number:

Not applicable.

14.4. Packing group:

Not applicable.

14.2. UN proper shipping

Not applicable.

14.5. Environmental

hazards:

Not applicable.

name:

14.3. Transport hazard

class(es):

Not applicable.

14.6. Special precautions which a user needs to be aware of, or needs to comply with, in connection with transport or conveyance either within or outside their premises.

None.

### 14.7. Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code)

Not applicable.

Other Information: The product is not covered by the rules for transport of dangerous goods.

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations specific for the product in question

### **Proposition 65**

Chemicals known to cause cancer:

None of the substances in the formulation is listed in the latest version publicly available.

Chemicals known to cause

reproductive toxicity:

None of the substances in the formulation is listed in the latest version publicly available.

**TSCA:** All substances in the formulation are listed in the latest version publicly available.

**NFPA** ratings

Health hazard: 2

Flammability: 1

Instability:

### 15.2. Chemical Safety Assessment

_					
c	hot	hon	~~	nn	me
വ	D5	all	C.E.	1111	ше

Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene

Dilithium azelate

### **SECTION 16: Other information**

### Version history and indication of changes

Version	Revision date	Responsible	Changes



### LGWA 2

8.0.0 | 5/1/2023 | Bureau Veritas HSE/ SRU | 2-4, 7-11, 15-16

**Abbreviations:** PBT: Persistent, Bioaccumulative and Toxic

vPvB: Very Persistent and Very Bioaccumulative

STOT: Specific Target Organ Toxicity

Other Information: This safety data sheet has been prepared for and applies to this product only. It is based on

our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on

preparation of safety data sheets in accordance with CFR29, §1910.1200.

**Training advice:** A thorough knowledge of this safety data sheet should be a prerequisite condition.

Revision date: 5/1/2023

Replaces date: 3/28/2022

Classification method: Calculation based on the hazards of the known components.

Country: US